




## F.A.S. Amps Models Gallery & More...

Firmware: "Quantum" 5.00 ~ October 22, 2016 MDProd at http://axefx.fr/ & http://forum.fractalaudio.com/

See: New updates in yellow => 256 models

Manufacturer names and product names mentioned below are trademarks or registered trademarks of their respective owners, which are in no way associated with or affiliated with Fractal Audio Systems. The names are used only to illustrate sonic and performance characteristics of the Fractal Amplifier TYPES, which have been created by incredibly detailed analysis of the actual amps that inspired them.

> Content compiled from the JMA Reference Guide and Wiki. Suggestions, corrections, etc.: send a PM to MDProd at the Fractal Audio forum Thanks to Cliff, F.A.S. Team, JMA, Yek and Forum Community.









Red amps are non-MV (no Master Volume on the real amp). The MASTER VOLUME is set to 10 by default. + Includes the additional OVERDRIVE control. O The actual amp has a control labeled "Tone" which corresponds to TREB on the Axe-Fx. For a more realistic simulation, leave BASS and MID at noon. Se Amps with NEGATIVE FEEDBACK set to zero. PRESENCE is replaced with HI CUT. DEPTH is also disabled since it only affects negative feedback.








Red amps are non-MV (no Master Volume on the real amp). The MASTER VOLUME is set to 10 by default.

+ Includes the additional OVERDRIVE control

© The actual amp has a control labeled "Tone" which corresponds to TREB on the Axe-Fx. For a more realistic simulation, leave BASS and MID at noon. See Amps with NEGATIVE FEEDBACK set to zero. PRESENCE is replaced with HI CUT. DEPTH is also disabled since it only affects negative feedback.





Nbr	РНОТО	AXE-FX AMP	FW	BASED ON	AMP DESCRIPTION
53		CA OD-2	÷	Carol-Ann OD-2	50W, EL34 or 6L6 tubes. Overdrive channel. Model fine-tuned by the highly respected Alan
	7. X.			(Overdrive)	Phillips. A Dumble style amp
	Caral-Ann 2 = 1 = 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7				but tonal more like a modified Marshall.
54		CA Triptik Cln		Carol-Ann Triptik (Clean)	50w, EL34 Clean channel. Aiming to reproduce Classic Rock to Modern tones. "Dumble meets Marshall with a sprinkle of 5150 power amp."
55	0 10	CA Triptik Clsc		Carol-Ann Triptik	Classic channel: A little less gain and low end. Produces 70's and 80's British rock tones with
55	Carol-Ann	er mptik else	- <b>U</b> -	(Classic)	a very wide and complex sound stage with no buzz or brittle high frequencies.
56		CA Triptik Mdrn	÷	Carol-Ann Triptik	Modern channel: More gain and low end for those more modern heavy rhythm, dropped
				(Modern)	tunings. Also makes for a superb liquid lead channel with incredible sustain and harmonic
					bloom.
57	R D	CA Tucana Cln	<u> </u>	Carol-Ann Tucana 3 (Clean)	Clean channel of this 3-channel amp, with Bias monitoring system, KT88 75W tubes. <b>"One</b>
	0 70		111		of the best amps in the world," says Cliff.
	Candrann				
58		CA Tucana Lead	÷	Carol-Ann Tucana 3	Lead channel. This is a great lead amp which
				(Lead)	works well with many speaker/cab combinations.
59		CA3+ Clean	<b>B</b>	CAE 3+ SE preamp	Custom Audio Electronics preamp. The Clean channel is based on a Blackface Fender Twin
				(Ch 1: Clean)	Reverb preamp.
60	• <b>26999</b>	CA3+ Lead		CAE 3+ SE preamp (Ch 3: Lead)	Channel 3 (Lead) Basically an OD-100.
61		CA3+ Rhy		CAE 3+ SE preamp (Ch 2: Rythm)	Channel 2 (Rhythm).
62		Cali Leggy		Carvin Legacy VL100	Legacy 1, 100w, EL34. Uses a "James" tone stack which is more like hi-fi tone controls.
					Based on Steve Vai's original signature Legacy amplifier.
ę					To get a Steve Vai tone, keep Treble low, Bass high and not too much Gain.
63		Cameron Ccv 1A		Cameron CCV100 (Ch 1: Clean)	An amp its creator Mark Cameron calls "one pissed off amp." The topology is very similar
1	And the second se				to a JCM 800. Both channels modeled at various settings. The amp was modeled with the
	Cameron AMERICATION			<u>A A A A</u>	Voicing switch in the middle position. The "Dark" switch is the Negative feedback control.
				eren en en -1 =	Set Negative Feedback to 3.6 = switch in the middle position. Set it to 9.8 = switch in the right position 5.0 for left position (default)
	2777777779999999999			h h	right position. 5.0 for left position (default).
64		Cameron Ccv 1B		Cameron CCV100 (Ch 1: Clean)	Ch 2 has Caturation analysis of the default Drinkt quitable selects the Drinkt source that which
65	3	Cameron Ccv 2A		Cameron CCV100 (Ch 2: Crunch)	Ch 2 has Saturation engaged by default. Bright1 switch selects the Bright capacitor, which can be altered with the BRIGHT CAP setting on the Tone page.
					Bright1 switch left, Bright2 switch left, Gain Style switch left.
66		Cameron Ccv 2B		Cameron CCV100 (Ch 2: Crunch)	Bright1 switch left, Bright2 switch right, Gain Style switch left.
67		Cameron Ccv 2C		Cameron CCV100 (Ch 2: Crunch)	Bright1 switch left, Bright2 switch left, Gain Style switch right.
68		Cameron Ccv 2D		Cameron CCV100 (Ch 2: Crunch)	Bright1 switch left, Bright2 switch right, Gain Style switch right.

Red amps are non-MV (no Master Volume on the real amp). The MASTER VOLUME is set to 10 by default. I includes the additional OVERDRIVE control. O The actual amp has a control labeled "Tone" which corresponds to TREB on the Axe-Fx. For a more realistic simulation, leave BASS and MID at noon. Se Amps with NEGATIVE FEEDBACK set to zero. PRESENCE is replaced with HI CUT. DEPTH is also disabled since it only affects negative feedback.

Nbr	РНОТО	AXE-FX AMP	FW	BASED ON	AMP DESCRIPTION
69		Capt Hook 1A	Q 05.00	Hook Captain 34 (V2)	A Hand-made boutique amp with high-quality components. Plexi-based 3-channel amp, 100
				(Ch 1: Clean)	watts, EL34 power tubes, single input.
	HOOK				EQ and Boost switches off.
70	•	Capt Hook 1B	Q 05.00	Hook Captain 34 (V2) (Ch 1: Clean)	EQ and Boost switches on.
71		Capt Hook 2A	Q 05.00	Hook Captain 34 (V2)	Edge switch off.
				(Ch2: Rhytm)	To simulate the Boost switch use the Boost switch in the amp block.
72		Capt Hook 2B	<mark>Q 05.00</mark>	Hook Captain 34 (V2)	Edge switch on.
				(Ch2: Rhytm)	To simulate the Boost switch use the Boost switch in the amp block.
73		Capt Hook 3A	Q 05.00	Hook Captain 34 (V2)	Edge switch off.
	· • • • • • • • • • • • • • • •			(Ch 3: Lead)	To simulate the Boost switch use the Boost switch in the amp block.
74		Capt Hook 3B	Q 05.00	Hook Captain 34 (V2)	Edge switch on.
				(Ch 3: Lead)	To simulate the Boost switch use the Boost switch in the amp block.
75		Car Roamer  📲 😪	\$	Carr Rambler	Basically a Deluxe Reverb preamp with cathode bias 6L6 power amp and no negative
					feedback. Cliff say "Sort of a Fender-meets-Vox thing".
					According to Steve Carr (Carr Amplifiers) the Rambler was essentially a mix of a Princeton
					Reverb and a Tweed Pro.
				A DIA	
					•• • •
				The second	
	·				·
76		Citrue A20 Cla			
76		Citrus A30 Cln 🛛 🎒 😹	S	Orange AD30HTC (Clean)	30w tube head, Clean channel.
	ORADGE ADM	121		(cicall)	
77		Citrus A30 Drty	<	Orange AD30HTC	30w tube head, Dirty channel.
			-	(Dirty)	
				The second second	
78		Citrus Bass 200		Orange AD200B	200w valve bass head, 6550 tubes.
	ORADGE 🔤 🐻				
	And the second se				
79		Citrus RV50		Orange Rockerverb	"Dirty" channel of the 50w head known for warmth and rich harmonics.
, , ,					
				1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
				and the second sec	
					Sivesticity
80	$\square$	Citrus Terrier	2	Orange Tiny Terror	7w or 15w, EL84 tubesThe actual amp has no tone stack (neutral in Axe-Fx) and a single Hi-
-	ODZIDCE -	6*	0	<u> </u>	Cut tone control.
	ORADGE TENNA				
	Hand Bartel House Bare Bare Harty				
	۵۰۰۰۰ ۲۰۰۰ ۲۰۰۰ ۲۰۰۰ ۲۰۰۰ ۲۰۰۰ ۲۰۰۰ ۲۰۰				

Red amps are non-MV (no Master Volume on the real amp). The MASTER VOLUME is set to 10 by default. I includes the additional OVERDRIVE control. O The actual amp has a control labeled "Tone" which corresponds to TREB on the Axe-Fx. For a more realistic simulation, leave BASS and MID at noon. Se Amps with NEGATIVE FEEDBACK set to zero. PRESENCE is replaced with HI CUT. DEPTH is also disabled since it only affects negative feedback.






Nbr	РНОТО	AXE-FX AMP	FW	BASED ON	AMP DESCRIPTION
86		Comet 60		Komet 60	60 Watts - EL34 tubes. Similar to Trainwreck amp. Response switch = "Fast". To replicate
	<u>88</u> + × 40 202000 -			(R. switch: Fast)	"Gradual" reduce INPUT TRIM to 0.25".
87		Comet Concourse		Komet Concorde	60 Watts - EL34 tubes. Similar to Trainwreck amp. Response switch = "Fast". To replicate
				(R. switch: Fast)	"Gradual" reduce INPUT TRIM to 0.25".
	000 x 24444 30				Positioned as a rock amp.
88		Corncob M50	÷	Cornford MK50H II (Ch: Overdrive)	Boutique British amp. Plexi-meets-modern tone with big cojones.
	CRNFORD			s @	Works great with a Drive in front of it. With the T808 OD (Drive at 0, Level at 7).
89		Das Metall		Diezel VH4	EL34 or 6L6 tubes. High-gain, boutique amp famous for its powerful, heavy, aggressive
1	Inzh			(Ch 4: Solo)	sound. The Das Metal model was done by schematic and/or by ear. Other Diezel VH4
					models are based on real amps, see <b>Dizzv V4 Blue 4</b> .
90		Deluxe Tweed	≫ الله ا	Fender Tweed Deluxe (5E3)	Fender Deluxe (5E3) from the 50's, 15w. The earliest and most popular of the so-called
	-				Tweed amplifiers"60's hippie rock in a bottle", says Cliff.
					The "Telecaster's Amp".
			4		
91		Deluxe Verb Nrm 🛛 🖀	Q 01.02	Fender Deluxe	1965 Blackface, 22w, AB763 circuit. Great, chimey tone with nice power amp breakup.
	Los isis islos isisisisis Philame	121	,	Reverb	Normal channel.
92	and the second s	Deluxe Verb Vib 🛛 擶		(Normal) Fender Deluxe	Vibrato channel.
			,	Reverb	
				(Vibrato)	
_			,	(Vibrato)	




Nbr	РНОТО	AXE-FX AMP	FW	BASED ON	AMP DESCRIPTION
93	•FRIEDMAN·	Dirty Shirley	ů	Friedman Dirty Shirley	40w, 6L6. Designed to be an ultra-fat, sweet-sounding, classic rock amp. Based on a JTM45, with less bright, much fatter, it has more gain and a Master Volume.
94	0	Div/13 CJ Boost	×	Divided by 13 CJ 11 (Boost Switch ON)	11w, bassy amp, works best with single coils. High-performing "Tweed" meets "EL34" meets "Master Vol" 1x12. Boost Switch ON. similar to a <b>Fender Deluxe</b> .
95		Div/13 CJ	×	Divided by 13 CJ 11 (Boost Switch OFF)	Boost Switch OFF
96	•	Div/13 FT37 Hi	<b>.</b> *	Divided by 13 FTR 37 (Gain Boost: ON)	Divided by 13 FTR 37, 37w, Class-AB, two channels, 6V6 tubes. Gain Boost ON. Sound like a big clean Fender.
97		Div/13 FT37 Lo		Divided by 13 FTR 37 (Gain Boost: OFF)	Gain Boost OFF.
98	10201	Dizzy V4 Blue 2		Diezel VH4 "Blue" (Ch 2: Crunch)	High-gain boutique amp with heavy, aggressive sound. 6550, EL34 or 6L6. "Blue Diezels" sound darker (crank Presence!) than the later Silver ones. Channel 2, "gritty funk, dynamic clean.
99		Dizzy V4 Blue 3		(Ch 3: Distorsion)	Channel 3, the favorite channel for most users, with higher gain but still big dynamic range.
100		Dizzy V4 Blue 4		(Ch 4: Solo)	Channel 4, newer version of <b>Das Metall</b> . A monster of gain which still has great definition and authority.
101	Nigzber	Dizzy V4 Slvr 2		Diezel VH4 "Silver" (Ch 2: Crunch)	Later Silver-faced version of the Diezel VH4. Channel 2.
102		Dizzy V4 Slvr 3		(Ch 3: Distorsion)	Channel 3, Favorite for most users
103		Dizzy V4 Slvr 4		(Ch 4: Solo)	













Nbr	РНОТО	AXE-FX AMP	FW	BASED ON	AMP DESCRIPTION
120		FAS Hot Rod	Q 01.02	Cliff Modded ideal Marshall	From Cliff: the FAS Hot Rod is my version of what a modded Marshall should be. I find the
	FRACTAL			00000	BE/HBE a little too boomy and scooped. Bogners are too dark. Splawns don't have enough
				Marshall Kathat	compression, etc. So it's my take on a hot-rodded Marshall tone.
121		FAS Lead 1		Mesa Boogie TriAxis (presumed)	Neutral high-gain lead with a tight midrange.
122		FAS Lead 2		Mesa Boogie TriAxis (presumed)	Hot-rodded British lead sound with a tonestack by Bob Bradshaw (Custom Audio Electronics).
123		FAS Modern II		high gain rhythm + lead hybrid	Tighter version of the popular FAS Modern model with a 5150-style bass boost in the tone stack.
124	FRAGTAL	FAS Modern III		high gain rhythm + lead hybrid	Similar to a Recto, but with tighter bass and a cathode-based power amp.
125		FAS Modern		high gain rhythm + lead hybrid	High-gain hybrid. Equally well-suited to modern rhythm or lead work. "This model is my interpretation of the ideal modern metal tone."
126		FAS Rhythm		British + USA crunch	Combines the best features of the British and USA crunch models.
127		FAS Wreck		Trainwreck Express	Original WRECKER 1 model from the Axe-Fx Ultra.
128		Fox ODS Deep 🕂		Fuchs Overdrive	Dumble clone. Overdrive channel, 50w, 6L6 tubes. Preamp Bypass (PAB) active.
				Supreme-50 (Deep switch: ON)	Deep switch ON, slightly increasing the low frequencies, useful for single-coil guitars.
129	FUTCHE	Fox ODS 🕂		Fuchs Overdrive Supreme-50 (Deep switch: OFF)	Deep switch OFF.













Red amps are non-MV (no Master Volume on the real amp). The MASTER VOLUME is set to 10 by default.


+ Includes the additional OVERDRIVE control.

The actual amp has a control labeled "Tone" which corresponds to TREB on the Axe-Fx. For a more realistic simulation, leave BASS and MID at noon.



Nbr	рното	AXE-FX AMP	FW	BASED ON		AMP DESCRIPTION
163		Nuclear-Tone	۵ 🦗	Swart Atomic Space Tor	ne	20w, 6V6As with the actual amp, the bias tremolo is particularly effective. Inspired by the Gibson Scout.
164		ODS-100 Clean		Dumble Overdrive Speci	ial (HRM)	100w "HRM" (Hot Rod Marshall) version, Clean channel. A coveted but rare amp made famous by Robben Ford.
165		ODS-100 Ford 1	÷	R. Ford Dumble (PAB: ON)		"Non-HRM" version. PreAmp Bypass (PAB) ON. The default tone stack is neutral (with
166		ODS-100 Ford 2	-	(PAB: ON) R. Ford Dumble (PAB: OFF)		B/M/T at noon the response is flat.) "Non-HRM" version. PreAmp Bypass (PAB) OFF.
167		ODS-100 Ford Md	÷	R. Ford Dumble (MID switch: ON)		The same as ODS-100 Ford 1 with the "Mid" switch engaged (this switch is sometimes labeled "Deep"). It shorts out the 390 pF cap in the tone stack (which is in series with a 2 nF cap).
168		ODS-100 HRM Mid	÷	Dumble Overdrive Speci Lead Ch. (MID switch: ON)	ial (HRM)	Lead channel with the "Mid" switch engaged.
169		ODS-100 HRM	÷	Lead Ch. (PAB: ON)		Lead channel matched with the PreAmp Bypass (PAB) engaged (which bypasses the input tone stack) and the Drive control at approximately 7.0. With PAB active this lowers the lowcut frequency. Played by the great <b>Larry Carlton</b> and many others!
170		Plexi 50w 6550	<sup>1</sup> Q 01.02	Marshall SLP 1959 (1972 - 50w Model)	B	High input of a 1972 50w Marshall "Plexi" with 6550 power tubes.
171	Marshall	Plexi 50w Hi 1		(1972 - Sow Model) Marshall SLP 1959 (1972 - Sow Model)		No master volume. 1972 model. Treble channel, boosted bright tone.
172		Plexi 50w Hi 2	1 ( 10 2 Q 02.00 1 ( 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Marshall SLP 1959 <b>(70's - 50w Model)</b>		Similar to Plexi 50W Hi 1 excep the second triode stage has a 0.68uF cathode bypass capacitor. The second bypass capacitor was added in the early 70's and gives a slightly brighter tone.
173		Plexi 50w Jump		Marshall SLP 1959 (1972 - 50w Model)		Emulates "jumpering the inputs" on a 4-hole amp.
174		Plexi 50w Nrml	1 0 2 INPUTS 2 1 0 0 2	Marshall SLP 1959 (1972 - 50w Model)		Normal channel, dark and has loads of bass.








Nbr	рното	AXE-FX AMP	FV	v	BASED ON		AMP DESCRIPTION
182		PVH 6160 Block			Peavey EVH 5150	RA	120w, 6L6. An original block letter Peavey EVH 5150. Lead channel. It sounds way better
4					(Lead)	12	than most 5150s partly due to the fact that this one has a bias mod so it's biased a bit
	5150			4		< P	warmer than a stock version.
	DIOU			3		Per	
	55 * 5 * * * * * * * * * * * * * *			9		5	
l.				ð			
183		PVH 6160+ LD			Peavey 6505+		Called the new standard for "brutality and aggression". 120w, 6L6. Identical to the EVH
105					(Lead)	B.	
184	Refer	PVH 6160+ Rhy	0	01 04	Peavey 6505+		Based on Channel 1 (RHY) with the Crunch
184	<u>8505+</u>	PVH 6160+ KNy	ų	01.04	(Rhyt)	TGQ.	switch depressed and Bright switch out.
						AB.	
185 📕		PVH 6160+ Rhy B	Q	01.03	Peavey 6505+	W.	Based on Channel 1(RHY) with the
					(Rhyt)	<u> </u>	Crunch and Bright switches depressed.
186	$\sim$	Recto1 Org Mdrn	$\geq$		Mesa B. 2 ch Dual Rectifier	1	Orange channel, Modern mode. Presence control now operates like the actual amp in all
	Contraction and and the second				(Orange: Modern)	horn	Recto models. For those models where there is no negative feedback, the Presence control
							is part of the tone stack (not a Hi Cut control.)
187		Recto1 Org Norm			Mesa B. 2 ch Dual Rectifier	2	Orange channel, Normal mode. Warmer and less fizzy
					(Orange: Normal)	0	than the 3 channel model.
188		Recto1 Red Mdrn	$\approx$		Mesa B. 2 ch Dual Rectifier		Red channel, Modern mode.
189		Recto2 Org Mdrn	*		Mesa B. 3 ch Dual Rectifier		Orange channel, Modern mode.
	A THE REAL OF THE		25		(Orange: Modern)	D	
190		Recto2 Org Vntg			Mesa B. 3 ch Dual Rectifier	The second	Orange channel , Vintage mode.
191	A MARINE AND	Da sta 2 Da d Malus			(Orange: Vintage)		
191		Recto2 Red Mdrn	$\approx$		Mesa B. 3 ch Dual Rectifier (Red: Modern)	20	Red channel , Modern mode.
192		Recto2 Red Vntg			Mesa B. 3 ch Dual Rectifier	THE P	Red channel , Vintage mode.
		, , , , , , , , , , , , , , , , , , ,			(Red: Vintage)	11-	
193	The second se	Ruby Rocket	Q	02.00	Paul Ruby Rocket		Paul Ruby Rocket is based on a Trainwreck Rocket but with some notable differences (also
					(Brigh switch: Down)		similar to a Vox AC30 TB).
104		Duby Decket DDT			David Durbu Dasket		Bright switch in the down position.
194		Ruby Rocket BRT			Paul Ruby Rocket (Brigh switch: Up)		Bright switch in the up position
					(bhbh switch, op)		A stransmen
195		Shiver Cln			Bogner Shiva		90w, KT88. 20th anniv. Clean channel, powerful shimmering cleans. Dark amp, turn up
	2				(Clean)		Presence or engage Bright.
	Bogner						
196	NAMES OF A DESCRIPTION OF A DESCRIPTION OF A DESCRIPTIONO	Shiver Ld			Bogner Shiva		Lead channel, sweet, rich-sounding amp with
					(Lead)		aggressive, English-style midrange punch.



Nbr	РНОТО	AXE-FX AMP	FW	BASED ON		AMP DESCRIPTION
197		Solo 88 Clean	Q 01.04	Soldano X88R Pream	np 🧥	Clean channel of a Soldano X88R preamp, 6L6. All channels are now represented.
198		Solo 88 Lead		(Clean) Soldano X88R Pream (Lead)	np	Lead channel of a Soldano X88R preamp, 6L6.
199		Solo 88 Rhythm		Soldano X88R Pream (Rhythm)	np	Rhythm channel of a Soldano X88R preamp, 6L6.
200	soldano / caswell	Solo 99 Clean		Soldano X99 Preamp (Clean)	0	Soldano/Caswell midi-motorized X99 preamp Clean channel.
201		Solo 99 Lead	THE'S AND IN AS INAMETERS OF A RECOVER OF A	Soldano X99 Preamp (Lead)	0	Lead channel.
202	soldaņo	Solo 100 Clean		Soldano SLO-100 (Nrml/Clean)		SLO = Super Lead Overdrive, 100w. Normal channel, Clean gain selector.
203	• <u>÷</u> 233355555 •••	Solo 100 Lead		Soldano SLO-100		Snarling Lead channel. This amp likes to be run hard, so the MV defaults to a higher setting
				(Lead)		than on most other amps (high MV helps thicken up the mids). To achieve the best sound, also back off the preamp gain.
204		Solo 100 Rhy		Soldano SLO-100 (Nrml/Crunch)	¥	Normal channel, Crunch gain selector. Aggressive rhythm.
205		Spawn Nitrous 1	Q 02.00	Splawn Nitro (OD1)		100w, KT-88, OD1 mode. Splawn tone with more saturation and voiced for a bigger low end
206	500 77777777777777777	Spawn Nitrous 2		Splawn Nitro (OD2)		and low mids. 100w, KT-88, OD2 mode.
207		Spawn Rod OD1-1		Splawn Quick Rod (1st gear)	*	100w, EL34. Signature Splawn tone with lots of bite, strong mids and 3 gear versatility. 1st
208	Splawn	Spawn Rod OD1-2		(1st gear) Splawn Quick Rod (2nd gear)	1	gear, "Hot Rod Plexi". 2nd gear, "Hot Rod JCM 800".
209	22. 10102.290000 ·	Spawn Rod OD1-3		Splawn Quick Rod	AN THE SE	3rd gear, "Super Hot Rod JCM 800".
210		Spawn Rod OD2-1		(3rd gear) Splawn Quick Rod (1st gear)		1st gear OD2 switches in a cathode bypass cap which increases the gain of that stage.
211		Spawn Rod OD2-2		Splawn Quick Rod (2nd gear)		2nd gear same as above.
212	0-8-9-9-9-9-9-9-9-9-9-9-9-9-9-9-9-9-9-9-	Spawn Rod OD2-3		(2nd gear) Splawn Quick Rod (3rd gear)		3rd gear same as above.









Nbr	рното	AXE-FX AMP	FW	BASED ON	AMP DESCRIPTION
220	$\sim$	Thordendal Mdrn	*	Mesa Boogie Dual Rectifier	Based on the pre-G3 Recto models. Cliff: When G3 came out the models were accurate but
	THE ACCOUNTS AND A			(Modern)	Fredrik contacted me and said something like "ahhhhh, I loved the old Recto model". So I
					took the old Recto models and made them "Thordendal models."
221		Thordendal Vint		Mesa Boogie Dual Rectifier (Vintage)	Based on the pre-G3 Recto models, <b>Fredrik Thordendal's specifications</b> .
222		Tremolo Lux		Fender Tremolux (AA763)	Based on blackface Fender Tremolux, AA763 with 6L6, high and low inputs, smaller version
	<u>ectresse cottesteste rette c</u> Ander			(Ch: Vibrato)	of the Bandmaster.
223		Tube Pre		Generic Tube preamp	Completely neutral, low-gain tube preamp, useful for "warming up" various sources, such
					as vocals, <b>acoustic guitar</b> or a synth, without much distortion.
224		Two Stone J35 1	÷	Two-Rock Jet 35	35w, 6L6. Lead mode, Preamp Bypass ON, which bypasses the input tone stack for a more
225	Two-Rock	Two Stone J35 2	÷	(Lead - PB: ON) Two-Rock Jet 35 (Lead - PB: OFF)	focused lead sound. Lead mode, Preamp Bypass OFF.
226		TX Star Clean		Mesa Lone Star 🛛 🚽 🛉	Clean channel, 50/100w, 6L6Try with a BB Pre drive block.
227		TX Star Lead	+	(Clean) Mesa Lone Star (Lead)	Lead channel.
228	_	USA Bass 400 1		Mesa B. Bass 400	No less than twelve fan-cooled 6L6 output tubes deliver 500 watt of transient power peaks
	- MESA/BOOGIE IBASS 400+ -			(BS: OFF)	with cool reliability.
	TTERED:				Bass Shift OFF.
229		USA Bass 400 2		Mesa B. Bass 400	Bass Shift ON.
				(BS: ON)	
					and also W another and 25





Red amps are non-MV (no Master Volume on the real amp). The MASTER VOLUME is set to 10 by default. + Includes the additional OVERDRIVE control. O The actual amp has a control labeled "Tone" which corresponds to TREB on the Axe-Fx. For a more realistic simulation, leave BASS and MID at noon. Se Amps with NEGATIVE FEEDBACK set to zero. PRESENCE is replaced with HI CUT. DEPTH is also disabled since it only affects negative feedback.







Nbr	РНОТО	AXE-FX AMP FW	BASED ON	AMP DESCRIPTION
252	Suffic	Vibrato Verb CS Q 01.	00 Fender Vibroverb Custom reissue	
253	AA 191900 2007000 1910 and al	Vibrato Verb	Fender Vibroverb	40w combo, 2x12, that's great for clear or grinding cleans and gutsy blues. 6G16 circuit, Brownface era. Vibrato Verb model was ported from the Axe-Fx Ultra.
254		Wrecker Express	Trainwreck Express	Trainwreck Express, EL34 tubes, which sounds similar to a <b>Marshall Plexi</b> .
255		Wrecker Lvrpool	Trainwreck Liverpool	Trainwreck Express preamp with a Trainwreck Rocket power amp. EL84 tubes. Marshall meets Vox.
256	Reserved V V V V V V V V V V V V V V V V V V V	Wrecker Rocket	Trainwreck Rocket	Trainwreck Rocket, EL84 tubes. Based on and sounds like a <b>Vox AC-30 Top Boost with a</b> rectifier.



For More information about an AMP Model: **Click on the** <u>Link</u>

Gre	at Yek's Guide to Fractal Audio Amplifier Models (By YEK & SIMVIZ)	Yek's Guide to Fractal Audio AMP models
and the second	Fractal Audio Forum: AMP Models by YEK	Yek's Write-ups per AMP models
5	WIKI Ву ҮЕК	List of All Amp Models with details
Ab	out Amp&Cab and Axedit, Don't Forget the Great Guide (by JMA):	Quick Reference Guide (by JMA)
	Have you got the Last "Amps Models Gallery" ?	FAS Amps Models Gallery (by MDProd)
Fi	acTool (by AlGrenadine) - Ultimate Tool to Compare Amp models	FracTool by AlGrenadine
	Looking for great EVH tones, check Danny Danzi's posts	Danny Danzi EVH tones



Nbr	рното	Axe FX DRIVE	Based on FW Tube Screamer	DRIVE DESCRIPTION
1	A BRANK S CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CALL CAL	BB Pre *	x	Xotic BB Preamp. Clean boost with two band active EQ which adds a wide range of harmonic.
2		Bender Fuzz		Classic Tonebender circuit
3	a second	Bit Crusher		HEXE Bitcrusher. A black box we found lying in the trash outside Studio Harshclip
4	BURGHERALDE ILaterhad	Blues OD		Marshall Bluesbreaker
5		Esoteric ACB	Q 05.00	Xotic AC Booster. Classic Tube sound at your fingerTips.
6		Esoteric RCB	Q 05.00	Xotic RC Booster. Transparent clean booster.
7	level and lovepedal	Eternal Love *	x	Lovepedal Eternity. A low to medium gain overdrive. It gives a gigantic warm clean boost, to creamy sustain.
8	Contraction of the second seco	Face Fuzz		Dallas Arbiter Fuzz Face. Distortion guitar pedal designed in London by Arbitrer Electronics Ltd in the autumn of 1966. The high distorted sound called fuzz.

Nbr	рното	Axe FX DRIVE	Based on FW Tube Screamer	DRIVE DESCRIPTION
9		FAS Boost	Q01.02	Cleanish boost great for boosting vintage amps like Plexis. Cliff say "It's not based on anything. It's my take on an ideal boost pedal."
10		FAS LED-Drive *	x	LED diodes have a higher voltage drop than silicon diodes
11		Fat Rat		modified Pro Co RAT, a bit fuller and smoother
12	FET Boost	FET Boost		Gentle, smooth, clipping booster with tone controls
13	THERE -	FET Preamp		Boss FA-1, a JFET preamp pedal (used by The Edge)
14	ALLEY THE PLEASE STATE	Full OD *	х	Fulltone Full-Drive 2
15		Hard Fuzz		Hard-clipping, 60s-style fuzz
16	(Contraction of the second of	M-Zone Dist		Boss MT-2 Metal Zone, popular for extreme gain settings



Nbr	рното	Axe FX DRIVE	Based on FW Tube Screamer	DRIVE DESCRIPTION
17	Maaston Bez Det	Master Fuzz		Gibson Maestro Fuzz Tone FZ-1A, aka Satisfaction fuzz
18	micro amp +	Micro Boost		MXR Micro Amp. Clean boost/volume pedal, part of the first Reference Series by MXR released between 1973 and 1984. Designed to be a transparent clean volume booster. The main application is to do louder solos.
19		Mid Boost		Custom FAS mid boost
20	Cetuvian.	Octave Dist		Tycobrahe Octavia
21	and the second s	PI Fuzz		Big Muff Pi Fuzz. Distortion/sustain guitar pedal designed by Bob Myer and Mike Matthews in 1969 and mass produced in 1970.
22	descension +	Plus Dist	Q 05.00	MXR Distortion +
23		Rat Dist	Q 05.00	Pro Co RAT. Distortion pedal by Pro Co Sound & designed by Scott Burnham and Steve Kiraly in Kalamazoo, Michigan 1978.
24	Riot	Ruckus		Suhr Riot. Big US sound.



Nb	or PHOTO	Axe FX DRIVE	Based on FW Tube Screamer	DRIVE DESCRIPTION
25		SDD Preamp		Preamp in Korg's SDD-3000 digital delay (used by The Edge)
26	Shirto MASTIR Collarshall	Shred Dist		Marshall ShredMaster
27		Super OD *	<b>x</b> Q 05.00	Boss SD-1 Super OverDrive
28		T808 Mod *	<b>x</b> q 05.00	Ibanez TS9, captures the most popular Tubescreamer mods. Suitable for blues and all range of rock, adding tubelike distortion, good sustain and smooth overdrive.
29		T808 OD *	<b>x</b> Q 05.00	b Ibanez TS9 Tube Screamer <b>(used by SRV)</b>
30		Tape Dist		Simulates the clipping of an overdriven reel-to-reel tape deck
31	RANGEMASTER TREALE BOOSTER BOOST ST COTA	Treble Boost		Dallas Rangemaster



Nbr	рното	Axe FX DRIVE	Based on Tube Screamer	FW	DRIVE DESCRIPTION	
32		Tube Drv 3-Knob			Chandler/Butler Tube Driver with a 12AX7, 3-knob version	_
33		Tube Drv 4-knob			4-knob version	
34	Zendrive	Zen Master *	x	Q 05.00	Hermida/Lovepedal Zendrive <b>(used by Robben Ford).</b> Recreate the Dumble tone, Robben Ford uses it himself through Fender amps.	

\* based on the Tube Screamer







Nbr	рното	Axe FX Wah	WAH DESCRIPTION
1		FAS Standard	Equivalent to the "Bandpass" setting in earlier firmware.
2	YOX	Clyde	Based on an original Vox V848 Clyde McCoy wah.
3	гру рарл	Cry Babe	Based on a Dunlop Cry Baby. Wah-Wah pedal released around 1982. It's a copy of the original VOX model made by VOX/Thomas Organ Co in 1970.
4		VX846	Based on a Vox V846-HW handwired wah.



Nbr	рното	Axe FX Wah	WAH DESCRIPTION
5	COLARSAND	Color-Tone	Based on a Colorsound wah.
6	e undras	Funk	Modeled after the "Shaft" sound.
7		Mortal	Based on a Morley wah/volume pedal.
8	e vox	VX485	Based on a Vox V845. Specifications of the original pedal developed by VOX in the '60s.

## Dunlop Cry Baby Collection



